


# Digital Data Exchange (DDEX)

## Electronic Release Notification Message Suite (ERN)


May 2024



# DDEX standards



# Electronic Release Notification Message Suite



Electronic Release Notification Message Suite (ERN) ———

Delivery of binaries (as part of another message) - - - - -

## Electronic Release Notification Message Suite (ERN)

- First ever DDEX standard
- Initial version from 2000
- First DDEX version 2007
- ERN-3 became “the” standard to deliver releases around 2010

# Basic choreography




`NewReleaseMessage` for

- Releases
- Deals

`PurgeReleaseMessage` for

- Takedowns

# Basic choreography



`NewReleaseMessage` for

- Releases
- Deals

`PurgeReleaseMessage` for

- Takedowns

`NewReleaseMessage` to  
communicate Release  
metadata

# Statement of truth

- ERN messages are “statements of truth”
  - When a deal changes or is added **all** metadata needs to be re-sent
    - Descriptive metadata
    - Deals
  - ERN **does not** support updates to individual fields
- Similar approach applies to communication binary files

## Parts of ERN standard version 3

- Electronic Release Notification Message Suite Standard
- ERN Release Profiles
- ERN Business Profiles
- ERN Choreography for SFTP
- ERN Choreography for Web Services



## Parts of ERN standard version 3

- Electronic Release Notification Message Suite Standard
- ERN Release Profiles
- ERN Business Profiles
- ERN Choreography for SFTP
- ERN Choreography for Web Services

ERN 3.8.3 is the most widely used version

## Parts of ERN standard versions 4.0-4.2

- Electronic Release Notification Message Suite Standard
- ERN Release Profiles
- ~~ERN Business Profiles~~
- ERN Choreography for SFTP
- ERN Choreography for web services

# Parts of ERN standard version 4.3

- ERN Part 1 – Message Definition
- ERN Part 2 – Release Profiles
- ERN Part 3 – Choreography for [cloud storage](#)
- ERN Part 4 – Choreography for web services

# From ERN-3 to ERN-4

## From ERN-3 to ERN-4

- New structure for “territorial data”
- Less data duplication
- More clarity about what data goes where
- Different approach to managing parties

# Territorial variations of data

- ERN-3
  - One composite containing all data that differs between territories
- ERN-4
  - Individual data elements can carry attributes
    - Language
    - Script
    - Territory



For example:

Suede

or

London Suede

# Territorial variations in ERN-3


Message  
Header

Resource List

Release List

Deal List

# Territorial variations in ERN-3







# Territorial variations in ERN-3




# Territorial variations in ERN-3



# Territorial variations in ERN-3



# Territorial variations in ERN-3



# Territorial variations in ERN-4



# Territorial variations in ERN-4



## From ERN-3 to ERN-4

- New structure for “territorial data”
- **Less data duplication**
- Less confusion
- Parties
- Track releases inherit most data from “their” resource (usually a sound recording or music video) by means of:
  - New slimmed-down `TrackRelease` composite
  - Better handling of territorial data


## From ERN-3 to ERN-4

- New structure for “territorial data”
- Less data duplication
- More clarity about what data goes where
- Parties
- In ERN-4 a `TrackRelease` title is only in one place, the `SoundRecording` composite
- In ERN-3 it could be in any of these composites
  - `SoundRecording`
  - `SoundRecordingDetailsByTerritory`
  - `Release`
  - `ReleaseDetailsByTerritory`




## From ERN-3 to ERN-4

- New structure for “territorial data”
- Less data duplication
- Less confusion
- Parties



John Williams



John Williams

- ERN-3 allowed a record company to just stipulate “John Williams” for two tracks
- DSP had no idea if it’s the same or different
- ERN-4 forces the record company to identify John Williams (guitarist) from John Williams (composer)

# New in ERN 4.3

## New in ERN 4.3

- Immersive audio
- Marketable clips
- Album visibility dates for streaming services
- Classical music

# Immersive audio

- Immersive audio
- Marketable clips
- Album visibility dates for streaming services
- Classical music
- How are two “editions” of the same sound recording communicated?
- They may have different ISRCs and/or contributor line-ups
- ERN-4.3 supports the two different ways this is being managed by the industry

# Immersive audio

- Immersive audio
- Marketable clips
- Album visibility dates for streaming services
- Classical music
- Approach one
  - Treat two editions as one recording
  - Create one release that may grow over time
- Approach two
  - Treat two editions as two recordings
  - Create two related releases
  - Link these recordings (`RelatedResource`) and releases (`RelatedRelease`)

# Marketable clips

- Immersive audio
- **Marketable clips**
- Album visibility dates for streaming services
- Classical music
- Updated handling of “standalone clips” and “previews”
- Clips
  - Can have different metadata from their “parent”
  - Can have their own `Deal`

# Marketable clips

- Immersive audio
- **Marketable clips**
- Album visibility dates for streaming services
- Classical music
- Impact on file naming
  - Need to have multiple files for each edition, especially for hi-res videos
  - Some files are shared between editions, for example, an immersive audio track used for audio and for a music video
  - Therefore multiple clips for each edition

# Album visibility dates

- Immersive audio
- Marketable clips
- Album visibility dates for streaming services
- Classical music
- Visibility dates moved from DealTerms to its own composite
- Enables setting of preview dates to the album release for which no deal is provided
- Especially true for streaming DSPs



# Classical music

- Immersive audio
- Marketable clips
- Album visibility dates for streaming services
- **Classical music**

# Better handling of hierarchical titles

## Display Data

- Provide one string that contains the title in a form considered to be best, by the record company
- Usual form:  
Composer-last-name: title-of-work,  
title-of-movement

## “Raw” Data

- Provide
  - Last name of composer
  - Title of the work
  - Sequence number of movement
  - Title of the movement
- DSP can compile this data as it sees fit

# Better handling of hierarchical titles

## Display Data

- Provide one string that contains the title in a form considered to be best, by the record company
- Usual form:  
Composer-last-name: title-of-work,  
title-of-movement

Beethoven: Symphony No. 9 in D minor,  
Op. 125. 4. Finale (“Ode to Joy”)

## “Raw” Data

- Provide
  - Last name of composer
  - Title of the work
  - Sequence number of movement
  - Title of the movement
- DSP can compile this data as it sees fit

# Better handling of hierarchical titles

## Display Data

- Provide one string that contains the title in a form considered to be best, by the record company
- Usual form:  
Composer-last-name: title-of-work,  
title-of-movement

Beethoven: Symphony No. 9 in D minor,  
Op. 125. 4. Finale (“Ode to Joy”)

## “Raw” Data

- Provide
  - Last name of composer
  - Title of the work
  - Sequence number of movement
  - Title of the movement
- DSP can compile this data as it sees fit

Finale (“Ode to Joy”) from Beethoven’s  
Symphony No. 9 in D minor, Op. 125

# Better handling of hierarchical titles

## Display Data

- Provide one string that contains the title in a form considered to be best, by the record company
- Usual form:  
Composer-last-name: title-of-work,  
title-of-movement

## “Raw” Data

- Provide
  - Last name of composer
  - Title of the work
  - Sequence number of movement
  - Title of the movement
- DSP can compile this data as it sees fit

Release profile states that a label must provide data in **both** forms

# Clearer rules on contributors and display artist

- Contributors
  - Anyone who contributed to the work
  - Anyone who contributed to the recording
  - From soloist to the tea lady
- Display artists
  - Name on the front of the album cover
  - Basically a brand

# Example

- Composer
  - Ludwig van Beethoven
- Conductor
  - Leopold Stokowski
- Orchestra
  - London Symphony Orchestra
- Choir
  - London Symphony Chorus
- Soloists
  - Helen Watts
  - Heather Harper
  - Alexander Young
  - Donald McIntyre
- All to be communicated as
  - `Contributor` with relevant role codes
  - `DisplayArtist` and `DisplayArtistName`
- Composer must have
  - `DisplayArtistRole` set to `Composer`
  - `IsDisplayedInTitle` can be set to indicate that the composer name should be displayed as part of the title
  - Two names: `KeyName` and `FullName`

# To put it all together into XML

- List all contributors and display artists in `PartyList`
  - Make sure composer has `FullName` and `KeyName`
- Collate all title parts
  - Movement → `ReferenceTitle`
  - Concerto → `GroupingTitle`
  - Composer name (ideally just last name)
- Assemble all title parts into a `DisplayTitle` and `DisplayTitleText`
- List all contributors and display artists in the message
  - The composer needs special treatment



# To put it all together into XML

- List all contributors and display artists in `PartyList`
  - Make sure composer has `FullName` and `KeyName`
- Collate all title parts
  - Movement → `ReferenceTitle`
  - Concerto → `GroupingTitle`
  - Composer name (ideally just last name)
- Assemble all title parts into a `DisplayTitle` and `DisplayTitleText`
- List all contributors and display artists in the message
  - The composer needs special treatment

Use MEAD for richer metadata:

- Epoch
- Key notes
- Time signature
- Instruments
- etc...

# A final word on versions

- ERN-4 offers significant benefits over ERN-3
  - ERN 3.8 is the most used version
  - Some implementers are “extending” ERN-3 to do what ERN-4 is designed to do
- Since ERN 4.3 was published in 2022, ERN-3 is no longer supported
  - Text has been removed from the knowledge base
  - Eventually the XSDs will be removed as well

# Digital Data Exchange (DDEX)

## Electronic Release Notification Message Suite (ERN)

May 2024

